

VACCINATION GUIDELINES BIBLIOGRAPHY

GENERAL

Horohov DW, Lunn DP, Townsend HGG, Wilson D. Equine Vaccination. J Vet Intern Med 2000; 14:221-222.

Lunn DP, Townsend HGG Equine Vaccination. Vet Clinics North Am: Equine Practice, 2000; 16(1):199-226.

Wilson WD. Vaccination Programs for Foals and Weanlings. Proceedings, 45th Ann Convention Am Assoc Equine Pract. Albuquerque, NM. Dec 5-8, 1999; 45:254-263.

Wilson, WD, Kanara EW, Spensley MS, Powell DG, Files WS Steckel RR, Guidelines for Vaccination of Horses. J Am Vet Med Assoc, 1995; 207 (4):426-431.

ANTHRAX

Kaufmann AF, Fox MD, and Kolb RC, Anthrax in Louisiana: An evaluation of the Sterne strain anthrax vaccine. J Am Vet Med Assoc, 1971; 163(5): p. 442-5.

BOTULISM

Crane SA, Whitlock RH, Buckley C, et al.: Clostridium botulinum type B toxoid for vaccination of adult horses, pregnant mares and foals: A study of vaccine protocols. IN Proceedings of the 37th Convention of American Association of Equine Practitioners, San Francisco 1991; p 611.

Lewis GE, Kulinski S, Fallon EH, et al: Evaluation of Clostridium botulinum toxoid, type B, for the protection of Shaker Foal Syndrome. Proc Am Assoc Equine Pract 1981; 27:23, 233.

Whitlock RH and Buckley C: Botulism. Vet Clin North Am (Equine Pract) 1997; 13:107.

EEE/WEE

Barber TL, Walton TE, Lewis KJ. Efficacy of trivalent inactivated encephalomyelitis virus vaccine in horses. Am J Vet Res 1978; 39:621-625.

Eisner RJ, Nusbaum SR. A study to determine the optimum time for vaccination of foals against eastern and western encephalitis viruses. In: *Proc 22nd Annu Meet Am Assoc Vet Lab Diag* 1979; 435-448.

Gibbs EP: Equine viral encephalitis, *Equine Vet J* 1976; 8:66-71.

Gibbs EPJ, Tsai TF: Eastern equine encephalitis. In Beran GW, editor: *Handbook of zoonoses*, ed 2, Boca Raton, 1994, CRC Press, Boca Raton, pp 11-24.

Hoff GL, Bigler WJ, Buff EE, Beck E: Occurrence and distribution of western equine encephalomyelitis in Florida, *J Am Vet Med Assoc* 1978; 172:351-352.

Iversen JO: Western equine encephalitis. In Beran GW, editor: *Handbook of zoonoses*, ed 2, Boca Raton, 1994, CRC Press, Boca Raton, pp 25-31.

Jochim MM, Barber TL. Immune response of horses after simultaneous or sequential vaccination against eastern, western, and Venezuelan equine encephalomyelitis *J Am Vet Med Assoc* 1974; 165:621-625.

Karabatsos N, Lewis AL, Calisher CH, et al: Identification of Highlands J virus from a Florida horse, *Am J Trop Med Hyg* 1988; 39:603-606.

Mackenzie RM, Parra D: Venezuelan equine encephalitis virus: comparison of infectivity and virulence of strains V-38 and P676 in donkeys, *Am J Trop Med Hyg* 1976; 25:494-499.

Miller LD, Pearson JE, Muhm RL: A comparison of clinical manifestations and pathology of the equine encephalitides: VEE, WEE, EEE, *Proc Annu Meet US Anim Health Assoc*, 1973, pp 629-631.

Rico-Hesse R: Venezuelan equine encephalomyelitis, *Vet Clin North Am Equine Pract* 2000; 16:553-563.

Walton TE, Alvarez O Jr, Buckwalter RM, Johnson KM: Experimental infection of horses with enzootic and epizootic strains of Venezuelan equine encephalomyelitis virus, *J Infect Dis* 1973; 128:271-282.

Walton TE, Jochim MM, Barber TL, Thompson LH. Cross-protective immunity between equine encephalomyelitis viruses in equids. *Am J Vet Res* 1989; 50:1442-1446.

Walton TE, Alvarez O Jr, Buckwalter RM, Johnson KM: Experimental infection of horses with an attenuated Venezuelan equine encephalomyelitis vaccine (strain TC-83), *Infect Immun* 1972; 5:750-756.

Wilson JH. Strategies for the prevention of Eastern Equine Encephalomyelitis. In *Proceedings, 9th ACVIM Forum* 1991; pp. 423-425.

EQUINE HERPESVIRUS

Allen GP, Kydd JH, Slater JD, Smith KC. Equid herpesvirus 1 and equid herpesvirus 4 infections. In: Coetzer JAWT, R.C., editor. *Infectious Diseases of Livestock*. 2 ed. Newmarket, Oxford University Press, 2004: 829-59.

Goodman LB, Wagner B, Flaminio MJ, Sussman KH, Metzger SM, Holland R, et al. Comparison of the efficacy of inactivated combination and modified-live virus vaccines against challenge infection with neuropathogenic equine herpesvirus type 1 (EHV-1). *Vaccine* 2006; 24(17):3636-45.

Holmes MA, Townsend HGG, Kohler AK, Hussey S, Breathnach C, Barnett C, et al. Immune responses to commercial equine vaccines against equine herpesvirus-1, equine influenza virus, eastern equine encephalomyelitis, and tetanus. *Veterinary Immunology & Immunopathology* 2006; 111(1-2):67-80.

Kydd JH, Townsend HG, Hannant D. The equine immune response to equine herpesvirus-1: the virus and its vaccines. *Vet Immunol Immunopathol* 2006; 111(1-2):15-30.

Nugent J, Birch-Machin I, Smith KC, Mumford JA, Swann Z, Newton JR, et al. Analysis of equid herpesvirus 1 strain variation reveals a point mutation of the DNA polymerase strongly associated with neuropathogenic versus nonneuropathogenic disease outbreaks. *J Virol* 2006; 80(8):4047-60.

Patel JR, Heldens J. Equine herpesviruses 1 (EHV-1) and 4 (EHV-4)--epidemiology, disease and immunoprophylaxis: a brief review. *Vet J* 2005;170(1):14-23.

EQUINE VIRAL ARTERITIS

McCullum WH: Development of a modified virus strain and vaccine for equine viral arteritis. *J Am Vet Med Assoc* 1969: 155:318-322.

McCullum WH: Studies of passive immunity in foals to equine viral arteritis. *Vet*

Microbiol 1976: 1: 45-54.

McKinnon AO, Colbert JO, Collins JK, Bowen RA, Voss JL and Umphenour NW: Vaccination of stallions with a modified live equine viral arteritis virus. *J Equine Vet Sci* 1986; 6:66-69.

Timoney PJ and McCollum WH: Equine viral arteritis. *Vet Clin North Am Equine Pract* 1993; 9:295-309.

Timoney PJ, McCollum WH, and Roberts AW: Current strategies for the control of equine viral arteritis. *Proceedings of the 92nd Annual Meeting of the USAHA*, pp. 211-218.

Timoney PJ, Umphenour NW, and McCollum WH: Safety evaluation of a commercial modified live equine arteritis virus vaccine for use in stallions. *Equine Infectious Diseases V. Proceedings of the Fifth International Conference* 1988: pp. 19-27.

INFLUENZA

Paillot R, Hannant D, Kydd JH, Daly JM. Vaccination against equine influenza: quid novi? *Vaccine* 2006; 24(19):4047-61.

Holmes MA, Townsend HGG, Kohler AK, Hussey S, Breathnach C, Barnett C, et al. Immune responses to commercial equine vaccines against equine herpesvirus-1, equine influenza virus, eastern equine encephalomyelitis, and tetanus. *Veterinary Immunology & Immunopathology* 2006; 111(1-2):67-80.

Townsend HGG, Lunn DP, Bogdan J, Griffin S, Holland R, Barnett C. Comparative efficacy of commercial vaccines in naive horses: serologic responses and protection after influenza challenge. In: *49th Annual AAEP Convention*; 2003; New Orleans: American Association of Equine Practitioners.

Wilson WD, Mihalyi JE, Hussey S, Lunn DP. Passive transfer of maternal immunoglobulin isotype antibodies against tetanus and influenza and their effect on the response of foals to vaccination. *Equine Veterinary Journal* 2001; 33(7):644-50.

Townsend HG, Penner SJ, Watts TC, Cook A, Bogdan J, Haines DM, et al. Efficacy of a cold-adapted, intranasal, equine influenza vaccine: challenge trials. *Equine Veterinary Journal* 2001; 33(7):637-43.

POTOMAC HORSE FEVER

Dutta SK, Vemulapalli R, Biswas B; Association of deficiency in antibody response to vaccine and heterogeneity of *Ehrlichia risticii* strains with Potomac horse fever vaccine failure in horses. *J Clin Microbiol* 1998; 36 (2):506:512.

Gibson KE, Rikihisa Y, Zhang C, Martin C; Neorickettsia risticii is vertically transmitted in the trematode Acanthatrium oregonense and horizontally transmitted to bats. Environ Microbiol. 2005; Feb 7(2):203-12.

Madigan JE, Pusterla N; Ehrlichial diseases. Vet Clin North Am Equine Pract. 2000 Dec; 16 (3):487-99, ix.

Palmer JE; Potomac horse fever; Vet Clin North Am Equine Pract. 1993 Aug; 9(2):399-410.

Palmer JE; Prevention of Potomac horse fever; Cornell Vet. 1989 Jul; 79 (3):201-5.

Pusterla N, Johnson EM, Chae JS, Madigan JE; Digenetic trematodes, Acanthatrium sp. and Lecithodendrium sp., as vectors of Neorickettsia risticii, the agent of Potomac horse fever. J Helminthol. 2003; Dec 77(4):335-9.

RABIES

Code of Federal Regulations, Title 9—Animals and Animal Products Chapter 1 –Animal and Plant Health Inspection Service, Department of Agriculture Part 113-Standard Requirements ---Section 113.209 Rabies Vaccine, Killed Virus, URL <http://frwebgate6.access.gpo.gov/cgi-bin/waisgate.cgi?WAISdocID=810237320726+6+0+0&WAIAction=retrieve>.

Green SL, Smith LL, Vernau W, et al: Rabies in horses:21 cases (1970-1990), *J Am Vet Med Assoc* 1992; 100:1133.

Green SL:Rabies, *Vet Clin North Am Equine Pract* 1997; 13:1.

Hamir AN, Moser G, Rupprecht CE: A five-year (1985-1989) retrospective study of equine neurological diseases with special reference to rabies, *J Comp Pathol* 1992; 106:411.

Krebs JW, Mandel EJ, Swerdlow DL, Rupprecht CE: Rabies surveillance in the United States during 2004. *J Am Vet Med Assoc* 2005; 227, 1912-1925.

ROTAVIRUS

Barrandeguy M, Parreno V, Lagos-Marmol M, et al: Prevention of rotavirus diarrhea in foals by parenteral vaccination of the mares: field trial, *Dev Biol Stand* 1998; 92:253-257.

Browning GF, Chalmers RM, Snodgrass DR, et al: The prevalence of enteric pathogens in diarrhoeic Thoroughbred foals in Britain and Ireland, *Equine Vet J* 1991; 23:405-409.

Dwyer RM, Powell DG, Roberts A, et al: A study of the etiology and control of infectious diarrhea among foals in central Kentucky. In: Proc Am Assoc Equine Pract 1990; 36:337-355.

Imagawa H, Kato T, Tsunemitsu H, et al: Field study of inactivated equine rotavirus vaccine, J Equine Sci 2005; 16:35-44.

Powell DG, Dwyer RM, Traub-Dargatz JL, et al: Field study of the safety, immunogenicity, and efficacy of an inactivated equine rotavirus vaccine, J Am Vet Med Assoc 1997; 211:193-198.

STRANGLES

Newton, J.R., Verheyen, H.K., Talbot, N.C., Timoney, J.F., Wood, J.L., Lakhani, K.H., and Chanter, N., Control of strangles outbreaks by isolation of guttural pouch carriers identified using PCR and culture of *Streptococcus equi*. *Equine Vet J* 2000; 32:515-526.

Newton, J.R., and Chanter, N., Strangles. In *Current Therapy in Equine Medicine*, 5th ed. N.E. Robinson, ed. Philadelphia: W.B. Saunders 2003; pp 64-68.

Rush, B.R., and Mair, T., *Equine Respiratory Diseases*. Oxford: Blackwell Science Ltd. 2004; pp 159-170.

Sweeney, C. Strangles: *Streptococcus equi* infection in horses. *Equine Vet Educ* 1996; 8:317-322.

Sweeney, C.R., Timoney, J.F., Newton, J.R., and Hines, M.T. *Streptococcus equi* Infections in Horses. Guidelines for Treatment, Control and Prevention of Strangles, 2004; *ACVIM Consensus Statement*.

Timoney, J.F. Strangles. *Vet Clinics N Am Equine Pract* 1993; 9:365-374.

TETANUS

Green SL, Little CB, Baird JD, et al: Tetanus in the horse: a review of 20 cases (1970 to 1990), *J Vet Intern Med* 1994; 8:128-132.

Wilson WD, Mihalyi JE, Hussey S, et al: Passive transfer of maternal immunoglobulin isotype antibodies against tetanus and influenza and their effect on the response of foals to vaccination, *Equine Vet J* 2001; 33:644-650.

Hjerpe CA: Serum hepatitis in the horse, *J Am Vet Med Assoc* 1964; 144:734-740.

Heldens JG et al: Duration of immunity induced by an adjuvanted and inactivated equine influenza, tetanus and equine herpesvirus 1 and 4 combination vaccine, *Vet Q* 2001; 23(4):210-217.

Liefman CE: Active immunisation of horses against tetanus including the booster dose and its application, *Aust Vet J* 1981; 57(2):57-60.

Jansen BC, Knoetze PC: The immune response of horses to tetanus toxoid, *Onderstepoort J Vet Res* 1979; 46(4):211-216.

Liefman CE: Combined active-passive immunisation of horses against tetanus, *Aust Vet J* 1980; 56:119-122.

Messer NT, Johnson PJ: Idiopathic acute hepatic disease in horses: 12 cases (1982-1992), *J Am Vet Med Assoc* 1994; 204(12):1934-1937.

Pancieria RJ: Serum hepatitis in the horse, *J Am Vet Med Assoc* 1969; 155(2):408-410.

WEST NILE VIRUS

Bunning ML et al. Experimental infection of horses with West Nile virus and their potential to infect mosquitoes and serve as amplifying hosts. *Ann N Y Acad Sci*, 2001; 951:338-339.

Hayes C. West Nile Fever. In: Monath TP, ed. *The arboviruses: epidemiology and ecology*. Boca Raton: CRC Press pp. 59-88, 1989.

Joubert L, Oudar J, Hannoun C, Chippaux M. [Experimental reproduction of meningo-encephalomyelitis of horses with West Nile arbovirus. 3. Relations between virology, serology, and anatomo-clinical evolution. Epidemiological and prophylactic consequences]. *Bull Acad Vet Fr* 1971; 44:159-167.

Minke JM SLKKALGPBRRRLSAJNB. Recombinant caraypoxvirus vaccine carrying the prM/E genes of West Nile virus protects horses against a West Nile virus-mosquito challenge. *Archives of Virology Supplement* 2004; 18:221-230.

Ng T HDJNCDCYCH. Equine vaccine for West Nile virus. *Developmenta Biology (Basel)* 2003; 114:221-227.

Ostlund EN, Andresen JE, Andresen M. West Nile encephalitis. *Vet Clin North Am Equine Pract*, 2000; 16:427-441.

Ostlund EN, Crom RL, Pedersen DD, Johnson DJ, Williams WO, Schmitt BJ. Equine West Nile encephalitis, United States *Emerg Infect Dis*, 2001; 7:665-669.

Siger L et al. Assessment of the efficacy of a single dose of a recombinant vaccine against West Nile virus in response to natural challenge with West Nile virus-infected mosquitoes in horses. *Am J Vet Res* 2004; 65:1459-1462.

Siger L et al. Evaluation of the efficacy provided by a Recombinant Canarypox-Vectored Equine West Nile Virus vaccine against an experimental West Nile Virus intrathecal challenge in horses. *Vet Ther* 2006; 7:249-256.

Snook CS et al. West Nile virus encephalomyelitis in eight horses. *J Am Vet Med Assoc* 2001; 218:1576-1579.

Teehee ML, Bunning ML, Stevens S, Bowen RA. Experimental infection of pigs with West Nile virus. *Arch Virol*, 2005; 150:1249-1256.

van der Poel WH. [West Nile-like virus is the cause of encephalitis in humans and horses and the death of hundreds of birds in New York]. *Tijdschr Diergeneeskd* 1999; 124:704-705.